

## Junicode

The Junicode font is designed to meet the needs of medieval scholars; however, it has a large enough character set to be useful to the general user. It comes in Regular, Italic, Bold and Bold Italic faces. The Regular face has the fullest character set, and is richest in OpenType features.

Because Junicode has been designed for medievalists, some of the default letter-shapes are wrong for modern languages: for example, eogonek (ę) is correctly shaped for medieval Latin but looks poor in Polish. It is possible to add language-specific letter-shapes, but this has not always been done. If you wish to see better support for any modern, medieval or ancient language, contact the developer.

Junicode partially implements the recommendation of the Medieval Unicode Font Initiative. Look for special MUFI characters in the Private Use Area (U+E000 and above). Download the complete recommendation at <http://gandalf.aksis.uib.no/mufi/>.

Junicode is licensed under the GNU Public License. For notes on the way the GPL applies to this font, see the file License.pdf.

## Old and Middle English

Wē æthrynon mid ūrum ārum þā yðan þæs dēopan wæles; wē gēsawon ēac þā muntas ymbe þære sealtan sǣ strande, and wē mid āðēnedum hrægle and gēsundfullum windum þær gēwīcodon on þām gēmārum þære fægerestan þēode. Ðā yðan gētācniad þisne dēopan cræft, and þā muntas gētācniad ēac þā micelnyssa þisses cræftes.

*Apply the OpenType feature ss02 (Style Set 2) for insular letter-forms.*

Her cýnepulŕ benam řıgebrýht hır řıceŕ ĵ řeŕŕeaxna řıotan řop unŕý-htum dædum buton hamtunŕcıŕe ĵ he hæŕðe þa oþ he oŕŕloğ þone aldoŕman þe him lengeŕt punode ĵ hiene þa cýnepulŕ on andŕeð aðræŕðe ĵ he þær punaðe oþ þæt hine an řpan oŕŕtanğ æt řŕýŕeteŕŕloðan ĵ he řŕæc þone aldoŕman cumbŕan ĵ je cýnepulŕ oŕt miclum geŕeohctum řeaht uuþ bŕeŕpalum.

SİPEN þe sege and þe assault watz sesed at Troye,  
Ðe borz brittened and brent to brondez and askez,  
Ðe tulk þat þe trammes of tresoun þer wrozt  
Watz tried for his tricherie, þe trewest on erthe:  
Hit watz Ennias þe athel, and his highe kynde,  
Ðat siþen deprecd prouinces, and patrounes bicome  
Welneze of al þe wele in þe west iles.

## Old Icelandic

*For Nordic shapes of þ and ð, specify the Icelandic language, if your application has good language support; or apply the OpenType ss01 (Style Set 1) feature.*

Um haustit sendi Mǫrðr Valgarðsson orð at Gunnarr myndi vera einn heimi, en lið alt myndi vera niðri í eyjum at lúka heyverkum. Riðu þeir Gizurr Hvíti ok Geirr Goði austr yfir ár, þegar þeir spurðu þat, ok austr yfir sanda til Hofs. Þá sendu þeir orð Starkaði undir Þríhyrningi; ok fundusk þeir þar allir er at Gunnari skyldu fara, ok réðu hversu at skyldi fara.

## Runic

ÞÍΛΚ ƿÍƿΩΛ ƿŃƿƿ ƿ† ƿMRXM†BMRIX ƿƿRÞ XƑ:JRIL XRƿR† ƿƿR NŃ ƿ† XRMΛ†  
XIJƿƿƿ NRR†ƿJ Bƿ†  
RRƿƿƿ†NŃ ƿ†Ω RMINƿƿƿ†NŃ †ƿΩXM† XIBRƿƿƿR ƿƿΩΩΩƿ ΩIF ƿΛNIF ƿ† RRƿƿƿ†NŃ †I:  
ƿƿRƿ N††MX

## Latin

*Junicode contains the most common Latin abbreviations, making it suitable for diplomatic editions of Latin texts.*

Adiuuanos dī falutarif nofter & pp̄t̄ ḡlam nominif tui dnē liβanof· & ppitiuf  
esto peccatif noftrif p̄pter nomen tuum· Ne forte dicant ingentib: ubi eft  
dī eorum & innotefcat innationib: corā oculif n̄rif· Pofuerunt mofticina  
feruorū ruorū efcaſ uolatilib: çeli carneſ ſcōz tuoꝝ beſtiif tenice· Facti fun̄  
ob̄pbrium uicinif n̄rif·

## Gothic Transliteration

*The OpenType dlig (Discretionary Ligatures) feature changes hv to Gothic letter h, and generates various other ligatures as well.*

jabai auk hwas gasaihwiþ þuk þana habandan kunþi in galiuge stada anakumb-  
jandan, niu miþwissei is siukis wisandins timrjada du galiugagudam gasaliþ  
matjan? fraqistniþ auk sa unmahteiga ana þeinamma witubnja broþar in þize  
Xristus gaswalt. swaþ þan frawaurkjandans wiþra broþruns, slahandans ize  
gahugd siuka, du Xristau frawaurkeiþ.

## Sanskrit Transliteration

mānaṃ dvividhaṃ viṣayadvai vidyātsāktyaśaktitaḥ  
arthakriyāyāṃ keśadirnārtho 'narthādhimokṣataḥ  
sadṛśāsadrśatvācca viṣayāviṣayatvataḥ  
śabdasyānyanimittānāṃ bhāve dhīśadasattvataḥ  
arthakriyāsamarthaṃ yat tadatra paramārthasat  
anyat saṃvṛtisat proktam te svasāmānyalakṣaṇe

## German

*In German, which uses many capitals, Junicode's broad T can be distracting. Apply OpenType feature ss03 (Style Set 3) to narrow it.*

Ein weit schwereres Tagewerk übernehmen diejenigen, deren lebhafter Trieb nach Kenntnis die Gegenstände der Natur an sich selbst und in ihren Verhältnissen untereinander zu beobachten strebt: denn sie vermissen bald den Maßstab, der ihnen zu Hilfe kam, wenn sie als Menschen die Dinge in bezug auf sich betrachteten.

## International Phonetic Alphabet

hwan θat a:prɪl wɪθ ɪs ʃu:rəs so:tə θə druxt ɔf martʃ haθ pe:rsəd to: θə ro:te  
and ba:ðəd ɛvri vɛɪn ɪn swɪʃ lɪku:r ɔf hwɪʃ vɛrtɪu ɛndʒɛndrəd ɪs θə flu:r  
hwan zɛfɪrʊs e:k wɪθ hɪs swe:tə bræ:θ

## Greek

*Greek support in Junicode is new with version 0.6.12, and experimental. The Greek typeface is based on the Greek Double Pica cut by Alexander Wilson of Glasgow in the eighteenth century; in future releases it is likely to undergo revisions to adapt it for modern use.*

βίβλος γενέσεως ἰησοῦ χριστοῦ υἱοῦ δαυὶδ υἱοῦ ἀβραάμ. ἀβραάμ ἐγέννησεν τὸν  
ἰσαάκ, ἰσαάκ δὲ ἐγέννησεν τὸν ἰακώβ, ἰακώβ δὲ ἐγέννησεν τὸν ἰούδα καὶ τοὺς  
ἀδελφοὺς αὐτοῦ, ἰούδας δὲ ἐγέννησεν τὸν φάρες καὶ τὸν ζάρα ἐκ τῆς θαμάρ,  
φάρες δὲ ἐγέννησεν τὸν ἔσρώμ, ἔσρώμ δὲ ἐγέννησεν τὸν ἀράμ, ἀράμ δὲ ἐγέννησεν  
τὸν ἀμιναδάβ, ἀμιναδάβ δὲ ἐγέννησεν τὸν ναασσών, ναασσών δὲ ἐγέννησεν τὸν  
σαλμών, σαλμών δὲ ἐγέννησεν τὸν βόες ἐκ τῆς ῥαχάβ, βόες δὲ ἐγέννησεν

12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345

*12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. 12345 12345*

CUM MULTA DIVINITUS, PONTIFICES, A MAIORIBUS NOSTRIS INVENTA ATQUE INSTITUTA SUNT CUM MULTA DIVINITUS, PONTIFICES, A MAIORIBUS NOSTRIS INVENTA ATQUE INSTITUTA SUNT CUM MULTA DIVINITUS, PONTIFICES, A MAIORIBUS NOSTRIS INVENTA ATQUE INSTITUTA SUNT CUM MULTA DIVINITUS, PONTIFICES, A MAIORIBUS NOSTRIS INVENTA ATQUE INSTITUTA SUNT CUM MULTA DIVINITUS, PONTIFICES, A MAIORIBUS NOSTRIS INVENTA ATQUE INSTITUTA SUNT



The Junicode font is available at <http://junicode.sourceforge.net/>. Click the Project Page link to leave feature requests and bug reports. Contributions are welcome: if you wish to contribute to Junicode, leave a patch at the Project Page or contact the Developer.

### **Developer**

Peter S. Baker, University of Virginia

### **Contributors**

Denis Moyogo Jacquerye  
Adam Buchbinder

### **(Unofficial) Advisers**

Omar Alí de-Unzaga  
Pablo Rodriguez  
Ralf Stubner  
Vangelis Karageorgos

### **Packagers**

Gürkan Sengün (Debian)

And thanks to the many users who have submitted feature requests and bug reports.

This document was set with X<sub>Y</sub>TEX.